G.R.S. IX-5]

Previous references.
Dis 5-23-sc 32033
Dis 5-23-sc 15517
Dis 5-23-sc 40741
Dis 5-23-sc 9710
Later references.

1923-24
(Dn)

File No. 5-23
Serial Nos. 64, 65 & 66

GENERAL AND REVENUE SECRETARIAT

Serial Nos. 3

Part B for July. 24

SUBJECT Programme of relief works especially tank maintenance works in the Kolar District

To
The Rev Commr
No D 34 dated 9.7.24:
Requests the R.C to submit definite information regarding the nos of works completed etc. up to the end of June 1924

820

G. R. S. III-2]

Muzrâi Secretariat

D/S

~~Muz.~~ File No. 5 of 1923—24

Serial No.

From

The Revenue Commr

No D 3 of 23-24 dt 16.4.24

with reference to the programme of works in the Kolar dt, forwards a copy of letter dated 11th April 1924 from the D.C. Kolar dt and requests sanctions to the D.C's proposals relating to the programmes up to the end of March 1924

The reference file is put up in another file submitted to the Dewan. Its return will, if approved, be awaited for working this up. Subd

17/4/24

19.4.24

Refce file returned 21.4.24

21.4.24

Draft to Rc. calling for further particulars is put up

24/4/24

Issue SM 28/4

NOTE—Contn. sheet

WD 0561—GPB—3750—1-8-22

18

G. R. S. III-2]

General and Revenue Secretariat. | Dis. File No. 5 of 19 23-24

Serial No.

To The Rev. Comr.
No. 990/D dated 23.4.24.
Requests him to furnish further
info. in the subject

64 From The R.C.
No. D 44 dy 28.4.24.
Forwards the programme of relief works
for Kolar distt & the Bangalore
distt till the end of June 24
& requests states that a further
communication will be sent about
the workers in the latter distt
& submitted for perusal.
& in the communication will
be mentioned

Put 29/4/24 In perusal
Rev Secy 29.4.24
Dy Secy 29.4.24
1.5.24
3/5

From
The Rev. Comr.
No D 44 of 23-24 dy 21.5.24.
Forwards a copy of the

3.5.24.

NOTE—Contn. sheet.

856
Dr.

G. K. S. III-2]

General and Revenue Secretariat.

Dr. File No. 5 of 19 23-24

Serial No.

programme of village improvement works that could be taken up as relief works in the Bangalore dist received from the Deputy Comr, Kolar dist.

Submitted for perusal This is a part of the programme laid down in G.O.s dated 26.12.23 & 25.1.24. This programme will be kept in view.

So far as this file is concerned is about the maintenance works in the Kolar dist. The further info promised by the R.C. is therefore awaited

Dr. 22/5/24

Rev. Secy 22.5.24 Sec. 26/5

65 Sum.

The Rev Comr.

R.C. Dis. No. D 44/23-24 dt 7.6.24 Forwards 2 lists of Tank maintenance works alleged to be started and to be started in the taluks of Kolar Dt.

NOTE—Contn. sheet.

G. R. S. III-2.

General and Revenue Secretariat.

Dy File No. 5 of 1925-26

Serial No.

recommend sanction to the
12 Sanctioning excess liability
in respect of the works which
have already been started is
very necessary. By the time these
are completed, it is not likely
that the excess expre would go
beyond the maximum limit of
Rs 10,000 fixed by the Govt as
all the works will not be taken
up or completed

13 There is however enough provision
to meet the liability of the works
which may be completed or have
to be paid for by the 30th June 1926
(vide this office letter dated 15-6-26 Flag B)
It is also unnecessary to sanction
the programmes & commit Govt to addl
expre in view of the recent reinforcement
and of the fact that in Govt dated 25-6-26
(Flag A), only incomplete works have
been ordered to be taken up & completed

14 A self explanatory draft
proposed for consideration

JNB
26/6/26

15 Please bring up.

27.6.26.

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Dis File No. 5 of 1923—24

Serial No.

From

The Revt Commr in his
no D 3 of 22. 5. 24.

Requests sanction to place
a sum of Rs 3940/— being
placed at the disposal of
the Executive Engr, Kolar Dist
for attending to the urgent
improvements to the Kendrida
Doddakere Tank in the
Kolar Taluk and to waive
the excess over the ryots'
liability amounting to Rs 382/
-in the case of the earthwork
refd to in respect of the said
tank.

From the communication it
is made out that the
maintenance work to the tank
is now going on and that the
urgent improvements to the
tank have to be taken up at
a cost of Rs 3940/- that the
excess Rs 382/- over
ryots liability
should be waived

NOTE—Contn. sheet.

General and Revenue Secretariat.

DS File No. 5 of 1925-24

Serial No.

enclosed with the present Communication it is found that Madwala Doddakere is situated in Nelamangala Taluk & not in Kolar Taluk as stated in the P.W.D. (which apparently led to the mistake)

This tank has been referred to in several Communications received from the R.C. But on all these occasions, there is a difference in the figures relating to the assessment, probable cost, costly estimate &c of the maintenance work. They are as follows:—

	one year's assessment	Probable cost	liable to get
I.	663	630.	
II.	664-12-0	800	135-00
III. (The present Communication)	747-00:	1,129.	382-00

Sanction has already been accorded in G.O. dated 22.04.24 to meet the excess liability of first out of the 10,000 Sanctioned in G.O. of January 1924. There does not seem therefore to be any necessity to sanction it again.

There has, however, been a lot of confusion in the R.C's office in the matter.

A draft enquiring further is

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Dis File No. 5 of 1923-24

Serial No.

Fair Draft Putup for approval.

Fair
30/5/24

Rec. Regd

To appl.
30.5.24.
Regd
30.5.24.

I.

The Rev. Comr. in Mysore
No. 1141/D dated 31.5.24

Enquires whether the Madivala Tank referred to in his letter is not the same as the one in the Statt appended to Govt no. 969-72/D 1923-24 of 22.4.24.

Ag 692
Dis

32672

R. C. 13.

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,

Bangalore, 14th April 1924.

No. D.3 of 23-24.
Enc. one.



From

K. Chandy, Esquire, B.A.,

Revenue Commissioner in Mysore.

To

K.V. Anantaraman, Esquire, B.A.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department, Bangalore

SIR,

Referring to correspondence ending with your letter No. 748/D. dated 13th March 1924 re. programme of works, I have the honour to forward herewith copy of letter No. D.31/23-24 dated 11th April 1924 with its enclosures from the Deputy Commissioner, Kolar District, forwarding the programme of relief works up to the end of June 1924 and requesting sanction to the programmes up to end of March for the Taluks of Chintamani, Malur, Srinivasapur Sidlaghatta and Bagepalli and Gudibanda Sub Taluk.

I request that the Deputy Commissioner's recommendation may be sanctioned.

I have the honour to be,

Sir,

Your most obedient servant,

Assistant Commissioner,
for Revenue Commissioner,
(absent from station).

VRR/-

[P. R. S. V1—G/32]

SUBJECT .....

.....

.....

Diary No. of letter replied to .....

General and Revenue Secretariat

( )

the 192

Date of issue 2.5.24

Signed by Mr. T. A.

Section D2

File No. 5-23

Serial No.

No. 990/D

To

The Revenue Commr

Sir,

With reference to
your letter No
D 3 / 23—24 dated 18th
April 1924 regarding the
P. W. works in the
Kolar District, I am
directed to request
that the programme

over

WD 0632-G2B—1800—16-8 23

of relief works up to the end of June 1924 refd to in the D.C's. letter maybe forwarded to Govt. I am to enquire what necessity there is to sanction the programme * up to the end of March 1924 of the works refd to therein have been taken up & executed

I have etc

* which is already past

2nd 20/6

In reply quote

List of enclosures.

Copied by

Examined by

R. C. 13.

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,

Bangalore, 26th April 1924.

28

No. D.44 of 23-24.

Enc. 2

753/D 5-23b4

From

C h a n d y, E s q u i r e, B.A.,

Revenue Commissioner in Mysore.



To

K.V. Anantaraman, Esq., B.A.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department, B a n g a l o r e.

SIR,

Referring to correspondence ending with your letter No. 990/D. dated 23rd April 1924, I have the honour to forward herewith the programme of relief works for Kolar District upto the end of June 1924.

As regards the necessity for sanctioning the programme upto the end of March 1924 etc., I have called for ~~from the Deputy Commissioner~~ further information, which, on receipt, will be forwarded to Government.

The programme of maintenance works in the Bangalore District up to the end of June 1924 received from the Deputy Commissioner with his letter No. C.C.76 of 23-24 dated 18th April 1924 is also herewith forwarded. He states that so far no necessity has arisen to start all these works immediately and that this is only a programme to be ready to start the works if necessity were to arise.

He has promised to send a programme of village Improve-

ment

improvement works on receipt of information called for from the Amildars in the matter.

I have the honour to be,

Sir,

Your most obedient servant,

K Chaudy

Revenue Commissioner.

vRR/-
RR

Statement of tanks to be taken up for maintenance work for relief measures in the Bangalore District for the year 1924. Prepared as per docket No.D.44 of23-24 dated 31st March 1924 from the Revenue Commissioner.

No.	T a l u k.	Name of Tank.	One years assessment.	Amount of estimate.	Excess over ryots liabil
1.	Anekal.	Estimate of the cost of maintenance work to Karapur Tank (Regtd No. 17).	735	534	Nil.
2.	"	-do- to Bidargere Tank (Regd.No.20)	574	180	Nil.
3.	"	-do- to Vanakanahalli Minor tank Regd.No.36).	127	740.	613.
4.	"	-do- to Thimmasandra unrestored minor tank near Saannuandur (Regd.No.58).	65	776	711.
5.	"	-do- to Hompalghatta unrestored Minor tank Registered No.1. ..	126	454	328.
6.	"	-do- of widening the tank bund of Bidarkuppe tank Regd.No.216.(Excess over ryots liability Rs.19/- Govt.share of work is Rs.490/- = Rs.509/- ..	1,301	1,810	509.
7.	"	-do- of maintenance work to Arehalli tank Registered No.7. ..	1,444	720	Nil.
8.	"	-do- to Bidarkuppa Kodagikere minor tank Registered No.221. ..	291	900	609.
			4,663.	6,114.	2,770.
9.	Hoskote	Estimate of the probable cost of maintenance work required to Hullur Amani kere Regd.No.7.	2,833	6,188	3,355.
10.	"	-do- of Earthwork required to Guttahalli Major tank regd.No.143/618 (a)	120	2,015	1,895.
11.	"	Detailed estimate for maintenance work of Sulibele Chikkere regd.No.100.	2,822	1,600	Nil.
12.	"	Detailed estimate for maintenance work of Sulibele Dodkere tank regd.No.99.	233	2,220	1,987

13.	Hoskote.	Estimate of the cost of maintenance work to Dethahalli tank Registered No.98.	580	1,800	1,220.
14.	"	Detailed estimate for maintenance work of Dodda Arlagere tank regd.No.96.	399	1,140	741.
15.	"	Estimate of the cost of maintenance work to Begur tank regd. No.206.	394	1,130	736.
16.	"	-do- work required to Mugubal tank Regd.No.5.	558	1,278	720.
17.	"	Detailed estimate for maintenance work of Nakanahalli tank Regd. No.31.	608	1,160	552.
18.	"	-do- of Kodihalli tank Regd. No.32/44.	1,047	1,400	353.
19.	"	-do- to Samethanahalli tank Regd.No.62.	433	1,240	807.
20.	"	Detailed estimate of the probable cost of maintaining the bund of Bidarahalli Major tank Regd.No.82.	715.	988	273.
21.	"	Detailed estimate of the probable cost of maintaining the bund of Kithiganur tank Regd.No.196.	249	1,090	841.
22.	"	-do- of earth work required to Kalapanahalli Tank Regd.No.1.	778	1,720	942.
23.	"	-do- of maintenance required to Tavarekere tank Regd.No.3.	927	675	Nil.
24.	"	Estimate of the probable cost of maintenance work required to Dodnallurhalli Tank Regd.No.6.	829	1,310	481.
25.	"	-do- of maintenance work required to Melavagal tank Regd. No.123.	611	2,430	1,819.
			14,136.	29,384	16,722.
26.	Devanhalli.	Estimate of the cost of maintenance work to Budigere tank Regd No.61.	2,719	1,740.	Nil.
27.	"	-do- to Bande-Kodagihalli tank Regd.No.58.	1,659	710.	Nil.
			4,378.	2,450.	Nil.
		Total Rs.	23,177.	37,948.	19,492.

For Deputy Commissioner,
Bangalore District.

7th April 1924.

Sl. No.	Taluk.	Name of the Tank	One years assessment	Estimated cost.	Advance	Final Charge
42	Kolar	Vakkaleri Durgakere	122 8 -	300 - -	122 8 -	177 8 -
43	"	Jaunaghatta Tank	2233 - -	400 - -	400 - -	
44	"	Haleri Tank	307 4 -	300 - -	300	
45	"	Kottikere	224 4 -	200 - -	200 - -	
46	"	Byrandahalli Tank	2860 - -	1000 - -	1000 - -	
47	"	Singehalli Tank	1264 - -	600 - -	600 - -	
48	"	Jannappalli Tank	646 - -	400 - -	400 - -	
49	"	Kempodi Tank	589 8 -	500 - -	500 - -	
50	"	Patna Tank	305 - -	200 - -	200 - -	X
51	"	Improvement to Feeder Channel to Kendalli Tank	- - -	400 - -	- - -	400 - -
52	Bagepalli	Agatamadika Kere (Patta palya Hobli)	840 - -	680 - -	680 - -	
53	"	Naremaddepalli Kere (Do.)	1401 4 -	1630 - -	1401 4 -	228 12 -
54	"	Billur kere (Chelur Hobli)	1947 12 -	1500 -	1500 - -	
55	"	Puligal kere (Do)	868 4 -	500	500 - -	
56	"	Palakuru Pedda (Do)	1240	1000	1240	

57	"	Julpalya Sirigarajakere (Mitti mannu Holla)	488	-	-	1500	-	-	488	-	-	1012	-	-			
58	"	Nallagutta Palläkere (Cretya Holla)	226	-	-	1000	-	-	226	-	-	774	-	-			
59	"	Haddepalli Doddakere (Gulur)	724	-	-	724	-	-	724	-	-	-	-	-			
60	"	Hellampalli Corumundinakere (Kasaba)	932	8	-	932	8	-	932	8	-	-	-	-			
		Grand Total				43388	8	-	28507	1	-	14881	7	-			

Abstract.

Balance due from Ryots 28507-1-0

Government Liability 14881-7-0

Total 43388-8-0

Deputy Commissioner
Kolar District.

"Copy"

for Revenue Commissioner.

Copy

Programme of relief works:— Tank maintenance and Feeder Channel — to be undertaken in the Kolar Dist. up to the end of June 1924.

No.	Taluk	Name of the Tank	One year's assessment	Estimate Cost of the work	Advance	Final Charge
1	Bowringpet	Kongarahalli Amani Kere	186 12 -	380 - -	186 12 -	193 4 -
2	"	Buvanahalli Hosakere	24 - -	350 - -	24 - -	326 - -
3	"	Kotaramagulla Tattenaikanakere	393 5 -	800 - -	393 5 -	406 11 -
4	"	Hanumaghatta Tank	38 8 -	450 - -	38 8 -	411 8 -
5	"	Banahalli Voorumundinakere	104 - -	330 - -	104 - -	226 - -
6	"	Mageri Kalkere	227 12 -	500 - -	227 12 -	272 4 -
7	"	Madivala Hongekere	219 - -	350 - -	219 - -	131 - -
8	Chintamani	Digavapalli Tank	220 - -	210 - -	210 - -	
9	"	Rachapur Nayakanakere	106 - -	219 - -	106 - -	113 - -
10	"	Kaivara Major Tank	875 - -	- - -	- - -	- - -
11	"	Mylapur Hongekere	375 - -	647 - -	375 - -	272 - -
12	"	Pathakoli Halekere	326 - -	- - -	- - -	- - -
13	"	Bagasanahalli arasakere	537 - -	600 - -	537 - -	63 - -
14	Gowribidanur	Feeder Channel to Hosur Tank	- - -	1000 - -	- - -	1000 - -
15	"	Feeder Channel to Amdi Tank	- - -	3000 - -	- - -	3000 - -
16	"	Dodkurugodu ~~Dot~~ Tank	1259 - -	1000 - -	1000 - -	- - -
17	"	Jelakunte Tank	737 4 -	700 - -	700 - -	- - -
18	"	Matyavalalalli Tank	287 12 -	500 - -	287 12 -	212 4 -
19	Chickballapur	Poornasagara Tank	1305 - -	2500 - -	1305 - -	1195 - -
20	Mulbagal	Kolasani Tank	644 - -	600 - -	600 - -	

21	"	Kothamangla Tank	829	12	-	800	-	-	800	-	-	-	-	-	-	-	-
22	"	Vuthanoor Dodkere	1865	8	-	1500	-	-	1500	-	-	-	-	-	-	-	-
23	Sidlaghatta	Chickkakondiana Kere	292	-	-	250	-	-	250	-	-	-	-	-	-	-	-
24	"	Buvadagunte Thimmarasanakere	1500	-	-	563	-	-	563	-	-	-	-	-	-	-	-
25	"	Tekahalli Gollahallikere	191	-	-	200	-	-	191	-	-	9	-	-	-	-	-
26	"	Kamamangala Tank	392	-	-	497	-	-	392	-	-	105	-	-	-	-	-
27	"	Cheemangala Tank	422	-	-	461	-	-	422	-	-	39	-	-	-	-	-
28	"	Kalinaikanahalli Tank	101	-	-	100	-	-	100	-	-	-	-	-	-	-	-
29	"	Anami Ballada Kere	1012	-	-	1000	-	-	1000	-	-	-	-	-	-	-	-
30	Malur	Chikasivara Tank.	148	4	-	450	-	-	148	4	-	301	12	-	-	-	-
31	"	Kadivala Chikkakere.	285	-	-	385	-	-	285	-	-	100	-	-	-	-	-
32	"	Tambihalli Tank.	260	-	-	610	-	-	260	-	-	350	-	-	-	-	-
33	"	Karadibanda hosahalli Tank	335	-	-	350	-	-	335	-	-	15	-	-	-	-	-
34	"	Abbehalli Tank	327	-	-	985	-	-	327	-	-	658	-	-	-	-	-
35	"	Bakerahalli Tank	76	4	-	100	-	-	76	4	-	23	12	-	-	-	-
36	"	Seethanaikanahalli Tank	136	12	-	150	-	-	136	12	-	13	4	-	-	-	-
37	Gudibanda.	Chendoor Tank	1775	-	-	800	-	-	800	-	-	-	-	-	-	-	-
	"	Empraving palampalli Feeder Channel.		-	-	1500	-	-	-	-	-	1500	-	-	-	-	-
		Nuligambu Tank	453	8	-	1000	-	-	453	8	-	546	8	-	-	-	-
	asapur.	Yeldoor tank.	1292	-	-	1495	-	-	1292	-	-	203	-	-	-	-	-
		Somayajalahalli kandarajkere	389	-	-	352	-	-	352	-	-	-	-	-	-	-	-

Continue 5

Programme of village Improvement Works that could be taken up on account of Distress operations in the Bangalore District.

	Name of work.	Estimated cost.	Ryots' contribution.
	DODBALLAPUR TALUK.		
	Sanctioned works.		
Maddur	Constructing a tunnel at Muppadighatta	997	499
	Constructing a Musafirkhana at Dod Tumkur.	719	360
Basalu	Constructing a tunnel at Bowring Road	440	220
	Road work from Majra Hosahalli to Adikavala.	1,260	...
	Road work from Gummanahalli to Hosahalli.	600	...
	Total	4,076	1,079
	Works to be taken up.		
Kasaba	Constructing drains in Aralamallige village.	500	250
	Constructing drains in Talagavara village.	150	75
	Repairing the chavadi at Thimmasandra	150	75
	Constructing road dam near the entrance of the Besettihalli village	200	100
Maddur	Forming road from Dod Tumkur to Bangalore Road.	500	250
	Forming road from Maddur to Nelamangala, Dodballapur Road.	300	150
Dodbelavangala	Constructing drain in Tubakunte village.	150	75
	Repairing chavadi at Akkatammanahalli	150	75
	Forming road from Gollahalli to Akkatammanahalli village...	35	The work has been started as per Revenue Commissioner's order.
Tubagere	Repairing road from Tubagere to Hadonahalli to join Ghati road.	500	250
	Repairing chavadi in Dandadasakodagehalli.	300	150
	Repairing road from Tubagere to Melkote.	500	250

Kubagere	Constructing chavadi at Neremuddenahalli. ...	200	100
Basalu	Repairing chavadi at Gundamgere	300	150
	Forming a road from Basalu to Hosahalli. ...	2,000	1,000
	Total	5,935	2,950

MAGADI TALUK.

	Constructing a rest house at Belugumba. ...	200	
	Constructing a chavadi at Hulaveenahalli. ...	100	
	Forming road from Agalakate to Mattikere and connect Closepet Village Improvement orad.	1,400	Not quite necessary.
	Road from Haratite Magadi Nelamangala Road. ...	100	
	Road from Halasabele to Magadi to Huliyurdrug Road. ...	200	
	Road from Hotagondanahalli to Bangalore-Mangalore Road.	1,000	
	Chavadi at Veeregowdanadoddi.	200	
	Rest house at Doddera.	200	
	Road from Tippasandra to join Bangalore-Mangalore Road.	2,500	Estimate has been submitted for sanction.
	Total	5,900	

KANKANHALLI TALUK.

Kasaba	Constructing a chavadi at Kaobehalli. ...	400	It is reported that the villagers have agreed to do 1/3rd portion of the cost in shape of labour.
	" at Honniganahalli. ...	400	
Hodihalli	Constructing a musafirkhana at Bannimukkodlu. ...	600	
Haralvadi.	Constructing a gokatte at Terubeedi. ...	1,000	
	Total	2,400	

NELAMANGALA TALUK.

Sanctioned Works (incomplete)

Constructing drain at Kempohalli	460	Ryots have contributed half
Constructing a tunnel across the Hodihalli of Manchanahalli tank.	320	
Constructing a honda at Rangayya's katte at Henganahalli.	277	

Muz. 7]

SUBJECT .....

.....

.....

Diary No. of letter replied to.....

Muzrai Secretariat

( )

the 192 .

Date of issue.....

Signed by,.....

Certain Taluk works in the Kolar District

May this be

i Printed ?

ii treated as a standing order

iii published in the Gazette. English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

SECTION

FILE No.

SERIAL No.

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

G.O. no 239-42 / dis 5-23-10 dated the 12th January 1924 Sanctioning a maximum limit of Rs 10,000 for meeting the Govt portion of liability in connection therewith ~~with the Tank maintenance works in the Kolar Dt.~~

~~Order Thereon No.~~

(2) G.O. no 969-72/dis 5-23- dated the 22nd April 1924 Sanctioning Rs 7,74 works in the Kolar Dist the liability of Govt being

Rs 5650-8-0 in excess over the
ryots' share

(3) Correspondence ending with
letter no D 44/23-24 dated the
7th June 1924 from the Revenue
Commissioner in regard
recommending sanction (1) to
incur an excess liability
of Rs 7650-8-0 instead of Rs 5650-8-0
in respect of the 16 works referred to
in the G.O. dated 2nd April 1924 in
view of the revision of the estimate
due to lowering of the task work,
(2) to the works as shown in the
appended statement, which were
started without sanction but at
an estimated cost in respect of them Rs 12,910, the
liability for which amounting to Rs 2740
and (3) to incur an excess liability
of Rs 4596-12-0 in respect of the works & Sanctions list
which are now in the various stages
of progress and requesting sanction that
the limit of Govt. liability may be increased to Rs 20000,
to allow an additional sum of Rs 10000
and to sanction the programme of works submitted with the Revenue
Commissioner's letter dated
and to sanction the programme of works already
submitted. sanctioned in view of the demand

Examined by

List of enclosures.

order No:-

The recommendation of

WD 66—2000—GPB—29-7-22

Muz. 6]

MUZRAI SECRETARIAT.

(*Continuation sheet draft form.*)

the Revenue Commr
in regard to items nos
1, 2 and 3 refd to above
is sanctioned.

(2) As regards addl
funds and the sanctioning
of such programmes, the
attention of the Rev Commr
is invited to this Dpt
B letter no 1186/Ds dated the
15th June 1924 and to Govt
A nos 1205-8/Ds 5-23-45
dated the 25th June 1924
respectively on the subject.

D/
27.6.24

Rev Secy to Govt
JRB

To

The Revenue Commr
The Deputy Commr, Kolaba
The Camp Vakil to Govt with
Statement
The Chief Engineer

WD 0565—GPB—2000—28-7-22

36263

No. D. 3 of 23-24.

Office of the Revenue Commissioner
in Mysore,
Bangalore. the 22nd May 1924.

From

K. Chandy, Esq., B.A.,
Revenue Commissioner in Mysore.

To

K.V. Anantaraman, Esq., B.A.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Revenue Department, Bangalore.

Sir

I have the honour to forward herewith copy of letter No. D.24 with its enclosures of 23-24 dated 3rd May 1924 from the Deputy Commissioner, Kolar District re. the urgent improvements to the Madivala Doddakere tank in Kolar Taluk and to state that the Executive Engineer proposes to take up the work if additional funds are placed at his disposal as no provision for it was made in the Budget. The Public Works Department is stated to be carrying out the maintenance work to the tank. The ryots share of earth work is estimated at Rs.1,129/- and the contribution payable by them is limited to one year's assessment i.e. Rs.747/-. The Deputy Commissioner states that the work of improving the tank, the cost of which is estimated at Rs.3,940/-, may be conveniently put in hand after completion of the maintenance work: and requests that the amount required (i.e. Rs.3,940/-) may be placed at the disposal of the Executive Engineer and that the excess over the ryots' liability amounting to Rs.382/- in the case of the earth work referred to above may be waived.

It is seen from the report accompanying the estimate that this is a major tank with an atchkat of 127 acres assessed at Rs.747/- restored in 1896 at a cost of Rs.5,580/-, that it discharges across the Madras Railway line, that during the restoration of the tank owing to scarcity of stones and the prohibitive cost, the front slope was not revetted but only turfed with a slope of 3 to 1 and that this slope has been scoured considerably

considerably by the action of water during all these years so much so that the front slope now stands almost vertical. In the opinion of the Executive Engineer it is quite unsafe to allow the bund to remain in this condition any longer as it is not likely to withstand the effect of even ordinary freshes from the catchment.

In the circumstances set forth, I request that early sanction of Government may be obtained for placing the sum of -- Rs.3,940/- at the disposal of the Executive Engineer for affecting the proposed improvements to the tank and for waiving the sum of Rs.382/- being the excess over the ryots' liability as recommended by the Deputy Commissioner.

I have the honour to be,

Sir,

Your most obedient servant,

K. Chandy

Revenue Commissioner.

vRR/-
RC

Copy of letter No. D.24 of 23-24 dated the 3rd May 1924 from the Deputy Commissioner, Kolar District, to the Revenue Commissioner, in Mysore, Bangalore.

I have the honour to forward herewith, the entire correspondence ending with RHC.508/23-24 dated 31-3-24 relating to the urgent improvements to Madivala Doddakere, Kolar Taluk.

This work was recommended in the month of November 1923 to the Executive Engineer, Kolar Division, to be taken up as a relief measure. It will be seen from the record that the estimate submitted by the Executive Engineer to the Chief Engineer for sanction was returned without sanction, with the suggestion that the amount may, if possible, be met out of the usual budget grant. But the Executive Engineer states that no money is available for this work out of the budget grant and that he proposes to take up the work, if arrangements are made to place additional funds at his disposal.

The maintenance work to the tank has been under execution by the Public Works Department and the work of Improvement as per estimate enclosed may conveniently be put in hand soon after the maintenance work is over. I request you therefore to be so good as to arrange to place a sum of Rs.3,940 at the disposal of the Executive Engineer, Kolar, and to waive the excess of the ryots' liability amounting to Rs.382/-

---

"C O P Y"

For Revenue Commissioner. 22/8/24

vRR/-

G. R. S. VI—G/32]

SUBJECT .....

.....

.....

Diary No. of letter replied to .....

Section ~~D 23~~ 1

File No. 5—23

Serial No.

General and Revenue Secretariat

( )

the 192

No. D 1141

(Ends) Revt

Date of issue 31. 5. 24

Signed by Mr T. A

To

The Revenue Comr

Sir,

With reference to your letter no D 3/23-24 dated the 22nd May 1924 regarding the allotment of Rs 3940/— for effecting ~~abandonments~~ ~~the~~ urgent improvement to the Doddatradwala Tank, Malur Taluk (not Kolar Taluk as stated in your letter) I am directed to enquire whether this is over. not the same

tank as the one refd to
in the statement appended to
f.o. No. 969-72 / Dis 5-23-41 dated
the 22nd April 1924 and ~~the statement~~ of
~~which~~
if so, whether sanction has not
already been conveyed to meet
the excess liability from Govt:
Further I am to ~~state~~ request that, if
this tank is identical with the
one refd to in your present Communication,
the reasons for giving diffr. figures
in respect of assessment, estimated
cost, & excess liability of Govt may be
intimated.

(2) As regards ~~the~~ proposed improvement
~~now proposed~~ to the tank at a
cost of Rs 3940/- I am to add
that the definite opinion of the D.C. Kolar
District as to the necessity to start
the work as a relief measure may List of enclosures.
be obtained. The estimate which
was prepared in the year 1921 may
perhaps be further scrutinized in
Consultation with the Engineering
Dept.

In reply to your letter under
reply are herewith returned Copied by
Examined by

Yours etc
30/5/24. for Secy to Govt
Revenue Dept

that the limit of excess liability of Government may be raised from Rs.10,000 to Rs.20,000 and that sanction of Government may be obtained for the programmes submitted by him.

4. In view of the fact that relief works will have to be kept open or fresh works started for some time longer in the worst affected parts of the District mainly for the purpose of providing labour to the cooly classes until they find it naturally elsewhere, I request that Government may be pleased to sanction the recommendations of the Deputy Commissioner.

I have the honour to be,

Sir,

Your most obedient servant,

K. Chandy

Revenue Commissioner.

VRR/-

Copy of letter No. D.9 of 23-24 dated 12th May 1924 from the Deputy Commissioner, Kolar District, to the Revenue Commissioner in Mysore, Bangalore.

I have the honour to state that prior to the receipt of the G.O.No.49-63/D. dated the 26-12-23 tank maintenance works had been started in the District to provide ~~for~~ work for men in the Distress areas. The total estimated cost of these works, one year's assessment and other particulars, are embodied in the enclosed statement No.I.

2. On receipt of the Government Order referred to above, programmes for the taluks of Bowringpet, Chikballapur, Malur, Mulbagal, Kolar, Chintamani, Sddlaghatta and Srinivasapur up to the end of January 1924 was, as directed therein, sent up with my letter No. D.9 of 23-24 dated the 2nd January 1924 and sanction was accorded by the Government to this programme in their order No.239-42/Dis.5-23-10 dated the 12th January 1924, with the observation that the excess liabiiity of Government should not exceed Rs.10,000. Again with my letters Nos. D.9/23-24 dated the 18th February 1924 and 4th March 1924, programmes for the taluks of Malur, Srinivasapur, Sidlaghatta, Bagepalli, Gudibanda and Chintamani were sent up for sanction, but Government ordered that "The statement of the Deputy Commissioner, Kolar District that it is not possible to prepare a programme of relief works up to the end of June 1924 as directed in para 18 of G.O. No.355-414 dated 25th January 1924 is not acceptable. It is necessary to have ready such programme with estimates so that the works may be started with the least possible delay in case distress deepens in the several taluks. I am accordingly to request that a complete programme up to the end of June 1924 may be got prepared for the Kolar as well as other affected Districts and submitted to Government without further delay. I am to add that the question of sanctioning the works referred to in the letter under reply will be considered after the receipt of the full programme and that in the meanwhile the works already sanctioned

sanctioned in G.O.No.239-42/Dis. 5-23-10 dated the 12-1-1924 may to on to completion (vide Revenue Secretary's letter No. --748/D. dated 13th March 1924, communicated with your office No. D.3 of 23-24 dated 17th March 1924).

3. I accordingly sent with my letter No. D.9 of 23-24 dated the 9th April 1924, programmes up to end of June 1924, So far, the formal sanction of Government has not been accorded to the lists sent up with my letters No. D.9 dated the 18th February 1924, 4th March 1924 and 9th April 1924. As in the meanwhile it became urgently necessary to start fresh works in localities where distress began to deepen, works were started selecting as far as possible maintenance works the cost of which did not exceed one year's assessment. But in certain instances owing to the lack of such works, maintenance works costing more than a year's assessment had also to be selected. This was done, however, after the most careful examination of the works available in consultation with the Local Revenue and Public Works Department officers. I enclose a list (statement No.II) of such works and now solicit the sanction of Government to the same

It will be seen that even including these works, the excess liability of Govern ent on all works started after the Government Order of the 26th December 1923, is within Rs.10,000. When in their order of the 12th January 1924, Government fixed the limit of Rs.10,000, I believe the Government intended that this limit should apply to works started after the issue of the said order dated the 26th December 1923. But in their order No.969-72/D. 5-23 dated the 21st April 1924, Government have directed that the limit of Rs.10,000 should include the excess liability of Rs.5,650 on account of works started prior to the order of the 26th December 1923. As, if this direction is given effect to, the total liability of Government will amount to Rs.14,917-4-0 and as further new works have to be taken up owing to the completion of the works already in progress, I request that the limit of excess liability ma be raised to Rs.20,000 pending the formal sanction of Govern ent to the programmes to the end of June 1924 already sent up.

4

Copy of letter No. D.9 of 23-24 dated the 2nd June 1924 from the Deputy Commissioner, Kolar District, to the Revenue Commissioner in Mysore, Bangalore.

With reference to your docket No. D.44/23-24 dated the 20th May 1924, I have the honour to state that as pointed out by you in your letter under reply the total liability of Government in respect of tank maintenance works contained in the three lists sent with this office No. D.9/23-24 dated 15th May 1924 is Rs.14,917-4-0 and similarly the excess liability of works started prior to 26th December 1923 is Rs.5,650/-. As regards t the further new works that have to be taken up owing to the completion of the works now in progress, I have to state that these works are not those referred to in statement No. 3 but they are works which have been included in the programmes submitted to Government for sanction from time to time and the starting of these fresh works depends on the conditions of a particular locality as the distress deepens or diminishes. I therefore request that sanction may kindly be accorded to raise the excess liability of Government from Rs.10,000 to Rs.20,000 on the whole so that such of the works as are included in the programme may be taken up as necessity arises.

2. I also request that sanction may kindly be accorded to the programmes already sent up as early as possible.

"Copy"

For Revenue Commissioner

VRR/-

Muz. 6]

MUZRAI SECRETARIAT.

(*Continuation sheet draft form.*)

(Encls. 3)

D 34/D 5-23-66

dated 9. 7. 24

To

The Revenue Commr

Sir,

In returning herewith the list of Tank maintenance ~~state~~ in the Kolar Dt works, received with your letter no D44 V3-24 dated the 7th June 1924, I am directed to request that they may be revised in accordance with the instructions issued in para 3 of G.O. no 1.3-22/Dis dated the 8th July 1924 and retransmitted to Govt at an early date

(2) Definite information may be kindly furnished as to the actual no of works completed, the

Total outlay thereon, and the
share of the Govt liability,
together with the amount
that will have to be provided both as adequate liability
for finishing the incomplete
works during the year 1924-1925.
in short conformity with the above
Encl.

I have etc

W. Vass.

for Secretary to Govt

Memorandum 35/D

Copy with Compliments to
the D.C. Kolar with reference to his
letter No. 39 dated 4th June 1924

B.D.

W. 9/7/24

for Secretary